一般93752

TR 84050



ROYAL AIRCRAFT ESTABLISHMENT

Technical Report 84050

May 1984

THE APPLICATION OF ANTHROPOMETRIC SURVEY DATA TO AIRCREW CLOTHING SIZING

by

Judy E. Aplin

20030115062



MIC FILE (

Procurement Executive, Ministry of Defence Farnborough, Hants

ROYAL AIRCRAFT ESTABLISHMENT

Technical Report 84050
Received for printing 8 May 1984

THE APPLICATION OF ANTHROPOMETRIC SURVEY DATA TO AIRCREW CLOTHING SIZING

by

Judy E. Aplin

SUMMARY

Since completion of the 1970/71 anthropometric survey of 2000 Royal Air Force aircrew, the Protective Equipment Section of Flight Systems (Farnborough) Department has made full use of the acquired data to support its advisory role on aircrew protective clothing sizing. Computer analysis of the data has been undertaken to provide sizing information relevant to a variety of garment types and numerically different size-rolls.

This Report outlines the general approach adopted for the sizing of body-cover garments and headgear. The influences of the choice of control dimensions and subsidiary measurement range limitation upon the size-rolls for aircrew one-piece coverall type garments are discussed.


Departmental Reference: FS(F) 218

Copyright

Controller HMSO London
1984

LIST OF CONTENTS

		Page
1 INTRO	DUCTION	3
2 SURV	Y SAMPLE AND MEASUREMENT DEFINITION	4
3 SIZII	G PROGRAMME DETAILS	4
3.1	Selection of control dimensions	4
3.2	Selection of control dimension intervals	6
3.3	Subsidiary measurement data	7
4 APPL	CATION OF THE DATA TO THE SIZING OF GARMENTS	9
Acknowledge	ments	10
Tables 1 to	. 14	11
References		25
Illustratio	ons	Figures 1-3
Report docu	mmentation page	inside back cover



1 INTRODUCTION

The UK anthropometric survey of 2000 Royal Air Force aircrew in 1970/71 was undertaken to fulfil an urgent need for up-to-date and comprehensive data on the body measurements of the then current Royal Air Force aircrew population. These data were required for application to aircrew protective clothing sizing and to aircraft workspace studies. Since 1971 the data have been used extensively by the Protective Equipment Section of Flight Systems (Farnborough) Department, Royal Aircraft Establishment, to provide guidance to Industry and other Government agencies on aircrew protective clothing sizing and to support in-house clothing research and development. Computation and analysis of sizing data have been undertaken for a range of types of protective clothing and equipment, including protective headgear². Specific garments sized by the direct application of the 1970/71 survey results to date are:-

Coverall Aircrew Mk 14A

Coverall Inner Aircrew NBC Mk 1

Coverall Inner Aircrew Immersion
Coverall Inner Aircrew Knitted Mk 1

Coverall Aircrew Type 16

Trousers External Anti-g

undergoing re-development and re-sizing

Life-preserver Mk 28

a re-sized and modified version of the

earlier Mks of sleeved life-preservers

Liquid conditioned coverall - an experimental garment.

Whilst data interpretation and manipulation varies for the differing types of protective equipment, a common basic statistical approach is adopted to define the measurements upon which the size-rolls of body-cover garments, headgear, etc are based. This paper outlines the statistical approach to protective clothing sizing adopted by FS(F) Department, RAE, with particular reference to one-piece body cover garments of the aircrew coverall type. By way of example, data are presented which define the body measurement ranges appropriate to a nine size garment coverage of approximately 90% of the aircrew population.

In the early stages of the garment sizing programmes, reservations were held regarding the adequacy of the information provided to the clothing designer in meeting the basic needs for the pattern drafting. Particular areas of concern were the absence of some conventional tailoring measurements, the need to interpret anthropometric data into equivalent tailoring data and the need on the part of the designer to depart from accustomed approaches to the construction and size grading of patterns. In practice these early reservations have proved unfounded and with a sound understanding of the requirements, and a minimum of subsequent queries, the clothing designer has produced the necessary patterns from which garments fully meeting the predicted subject fitting standards have been produced.

2 SURVEY SAMPLE AND MEASUREMENT DEFINITION

The anthropometric survey sample, upon which the data presented in this Report are based, consisted of 2000 male Royal Air Force aircrew including all ranks below Group Captain and with ages ranging from 18 to 45 years. The composition of the 1970/71 aircrew population was determined with respect to age, crew duty and operational role. The stations at which the aircrew were measured were chosen to give a sample representative of the whole for these categories. The resulting sample consisted of 1028 pilots, 613 navigators and 359 other flight deck aircrew.

For the definition of the body measurements to which this paper relates reference should be made to RAE Technical Report 73083 ¹ in which all measurements are described and all measuring techniques are illustrated. For the survey all measured subjects were only a standard pattern of continental briefs in stretch nylon, thus, effectively, all measurements related to the nude body.

3 SIZING PROGRAMME DETAILS

The statistical approach adopted for the sizing programme outlined in this paper involves the selection of two control dimensions and the division of the aircrew population into sub-groups defined by discrete ranges of these control dimensions. In practice the population coverage is generally less than 100% and it is accepted that a proportion of subjects will require 'special-measure' garments to sizes which fall outside the size-roll range. Exceptions to this practice do arise, however, when considering relatively complex protective headgear, NBC headgear, etc where full coverage of the population is required and the penalties of having to provide special measure items are unacceptable.

The sub-groups of the population defined by the discrete ranges of the control dimensions are processed separately to provide, for each group, statistical data on all subsidiary measurements of relevance to garment size definition. These data are then analysed and measurements are selected for each population sub-group, upon which the sizing of each garment in the size roll is based.

3.1 Selection of control dimensions

Body garment size roll determination normally involves the use of two control dimensions, selected such that each will separately reflect variable body features of importance to the clothing designer, such as lengths and mass. The choice of control dimensions upon which a clothing sizing programme should be based depends on a number of factors such as:

- (a) The measurements upon which the clothing designer requires the greatest degree of control.
- (b) The need to adopt control dimensions which correlate well with other related dimensions, eg chest circumference with waist circumference and buttock circumference, and stature with leg length (crotch height), cervical height and arm length (axilla to wrist).

(A selection of some relevant correlation coefficients of typical control dimensions and subsidiary dimensions from the UK 2000 aircrew anthropometric survey is given at Table 1.)

- (c) Ease and accuracy with which the measurements can be taken on the subject and need for familiarity of the subject with his control dimensions for clothing issue purposes.
- (d) Previously adopted control dimensions used for the sizing of other items of clothing which form part of the proposed aircrew equipment assembly (AEA).

 Ideally all clothing items which, on the layer principle, form an integrated AEA should be sized to the same control dimensions and be based on the same or compatible control dimension sub-ranges.

In meeting the selection criteria at (a) to (d) above there is only a limited control dimension choice when considering one-piece coverall type garments.

As far as the length dimensions are concerned there is merit from the pattern drafter's point of view in using cervical height as a control dimension: this however, would not meet selection factors (c) and (d) above. With cervical height and stature having a correlation coefficient of 0.975 the obvious choice for a length control dimension is stature.

The choice of control dimension to reflect body mass, is circumferences, depths, breadths, is however not so obvious.

For specific garment sizing, weight, chest circumference and vertical trunk circumference have each been considered and investigated by RAE FS(F) Department. This work was undertaken in 1967 and based on very limited data obtained from a preliminary anthropometric survey on only 200 Royal Air Force and Royal Navy aircrew³. The short-comings of this preliminary work on clothing sizing control dimensions due to the small population sample involved and the problem of obtaining meaningful data from population sub-groups which differ for each sizing approach are fully appreciated. However, the RAE findings lend broad support to the findings of other workers in this field⁴, 5 that, in theory, the control dimensions of stature and weight provide the best compromise approach for the sizing of one-piece coverall type garments.

One practical disadvantage of this approach, however, is the relatively poor control over chest circumference. To meet sartorial and functional needs, close control of garment chest circumference is considered to be of major importance, not least because of the adverse effects of excess garment girth in this region upon scye position and sleeve fit.

Although weight and chest circumference have a correlation coefficient of 0.858, recent study⁵ has shown in practical garment sizing terms the 5th to 95th percentile range of chest circumference within any of the discrete population sub-groups appropriate to a nine size roll is of the order of 10.5 cm. The garments must be sized to fit the larger subjects and have, typically, a 10 to 13 cm circumferential excess over the nude chest girth of these subjects to accommodate the bulk of the maximum number of undergarments

likely to be worn. It thus follows that the lower percentile subjects can be penalised with a garment chest circumference excess of up to 23.5 cm when wearing minimal layers beneath, should no alternative smaller chest size garment covering an appropriate stature range be available.

If virtually the full range of subsidiary measurements is to be accommodated, as suggested elsewhere in this paper, the lower percentile chest circumference subjects, in some garment sizes, can be penalised in this way with an excess garment girth at the chest of up to 34.5 cm.

This practical consideration supported a decision by the UK aircrew equipment procurement authorities that the potential advantages of stature/weight control for aircrew clothing sizing were insufficient to outweigh the problems associated with a major departure from the long established use of stature and chest circumference as garment sizing controls. Thus, in the sizing programmes undertaken by RAE FS(F) Department to which this paper refers, stature and chest circumference have been retained as control dimensions.

3.2 Selection of control dimension intervals

The choice of control dimension intervals will depend on such factors as:

- (a) The standard of garment fit required.
- (b) The logistic disadvantages of a large number of garment sizes.
- (c) The disadvantages of having to provide 'special measure' garments for those subjects not accommodated by the size-roll garments.
- (d) The degree of adjustment of control dimension related measurements which can be provided in the garment design.
- (e) To some extent, the selected garment fabric.

Computer analysis of the anthropometric data has demonstrated that the selection of small control dimension intervals does not necessarily reduce the ranges of the subsidiary measurements which each size of garment must accommodate. Table 2 gives the dimensional spans of several subsidiary measurements from size-rolls of different number based on chest circumference and stature as the control dimensions, and shows that increasing the number of sizes would not facilitate a closer fit overall.

In practice, UK experience over some years has indicated that for conventional aircrew coveralls a very satisfactory compromise to the considerations at 3.2(a) to (c) above can be obtained by basing the garment sizing on control dimension intervals of 8 cm for stature and 8 cm for chest circumference.

There is little that can be done in aircrew coverall design to cater for in-built dimensional adjustment which would allow the use of coarser control intervals, apart possibly from the waist circumference, ((d) above), and little scope for incorporating extensible or elasticated fabrics ((e) above) which could serve the same purpose on girth dimensions.

The degree of population coverage required by size-roll garments depends to a large extent on the logistics and cost of providing 'special-measure' garments for subjects not accommodated by the size-roll. To conform with previously established practice the sizing programmes for the Coverall Aircrew Type 16 and for the in-service Coverall Aircrew Mk 14a and Coverall Inner Aircrew NBC Mk 1 adopted a nine size roll. The distribution of the garment sizing grids on the stature/chest circumference scatter plot for the 2000 RAF survey subjects is given at Fig 1. This grid distribution provides a theoretical coverage of about 90% of the survey population but in practice has been shown to give significantly better coverage, presumably because aircrew outside the grid coverage accept a less than ideal garment fit. Reference to Fig 1 indicates that, with the pre-determined 8 cm control dimension intervals applied, theoretical coverage of about 98% of the population would virtually double the number of garment sizes required.

3.3 Subsidiary measurement data

The subsidiary body measurements upon which statistical data were obtained for the RAE FS(F) Department aircrew clothing sizing programmes are listed at Table 3 and the effect upon the ranges of some of them resulting from the selection of different pairs of control parameters is given at Table 4. Tables 5 to 13 inclusive give the statistical data for each of the population sub-groups defined by the nine size-roll control dimension intervals. In the choice of subsidiary measurement ranges upon which to base the nine sizes of garment the designer is given some latitude by the method of presentation of the size-roll data at Tables 5 to 13.

As referred to at section 3.2, approximately 10% of the 2000 RAF survey population are theoretically not accommodated by the nine size-roll population sub-groups defined by the sizing grids at Fig 1. If exclusion of further subjects from the size-roll is undesirable, the clothing designer must cater for accommodation of the full range of each subsidiary measurement. The specimen size-roll data at Tables 5 to 13 does however allow a choice of subsidiary measurement range, covering 100%, 1st to 99th percentile, 2nd to 98th percentile, 3rd to 97th percentile, 4th to 96th percentile, 5th to 95th percentile, 10th to 90th percentile, or ranges between any of these lower and upper percentiles. To provide the means for exclusion only of individuals whose extreme measurements could, if included, grossly influence the garment sizing (and thus the garment fit for the other subjects within each sub-group) data are also presented which cover the second, third and fourth smallest measurements recorded (minimum +1, minimum +2, etc) and the second, third and fourth largest measurements recorded (maximum -1, maximum -2, etc). The number of subjects to whom these individual data apply is also given.

The subsidiary measurement range choice alternatively may be based on values determined from the measurement mean and the standard deviation (SD). Where there is a Normal (Gaussian) distribution the following approximations apply:

Mean ± 1.00 SD = 84th to 16th percentile

Mean ± 1.28 SD = 90th to 10th percentile

Mean ± 1.50 SD = 93rd to 7th percentile

Mean ± 1.65 SD = 95th to 5th percentile

Mean ± 2.33 SD = 99th to 1st percentile.

Note 1: Care must be exercised in this latter approach as the population sub-group data presented at Tables 5 to 13 include some distributions which are significantly skewed.

Note 2: The percentile values given at Tables 5 to 13 have been derived by linear interpolation between successive measured values.

There are arguments for and against adopting a restricted subsidiary measurement range, the prime theoretical advantage of range restriction being the provision of better fitting garments over the restricted ranges of subjects. Whilst this, in theory, is a worthwhile aim, with excluded subjects being eligible for equally well fitting 'special-measure' garments, the law of the Stores Issue Counter will inevitably dictate that many of these 'excluded' subjects become 'included', with resulting malfitting garments.

Measurement range limitation has most significance when applied to the upper percentile range because it dictates that subjects having subsidiary measurements above the upper limiting values, upon which the garment sizing is based, will theoretically be excluded. Limits applied to the lower percentile ranges of subsidiary dimensions are of less importance because subjects having measurements below the cut-off limits will at least be able to fit in their appropriate size of garment, as defined by their control dimension sizes, albeit with an inferior standard of garment fit. The lower percentile ranges are however important when considering such coverall design features as waist adjustment, sleeve cuff adjustment fittings, etc where it is prudent to ensure accommodation of the smallest subject dimensions likely to be fitted by the garments rather than those dictated by lower measurement range limits.

From the above it is implied that if the garment sizing criteria are to be based on limited subsidiary measurement ranges, to have the desired effect the limits should be applied only to the upper percentile ranges when considering one-piece coverall type garments.

In considering subsidiary measurement range restriction it is perhaps worth emphasising the resultant effect of applying, say a "minimum to 95th percentile" limit progressively to just twelve subsidiary measurements. Table 14 indicates the percentage of subjects, nominally fulfilling the stature and chest circumference requirements of the sub-group at size 5 of Fig 1, which would theoretically be excluded from that size by the progressive application of a "minimum to 95th percentile" limit to only twelve of the subsidiary body measurements of interest to the clothing designer. This Table amply illustrates the potential penalties of applying a constant, relatively large (5 percentile) cut-off to all subsidiary measurements.

Although some 'non-accommodated' subjects will be satisfactorily fitted by a change from their nominal garment size and others will accept an inferior garment fit, the percentage of the total aircrew population requiring 'special-measure' garments is likely to be unacceptable. It is the view of the author that subsidiary measurement range limitation should be kept to the minimum consistent with the exclusion of isolated extreme measurements which would dictate significant garment size increase for insignificant benefits in terms of population coverage. There are advantages in avoiding the application of a common percentile range limit to all measurements and to adopting discretionary limits which vary depending upon the importance of each measurement to the garment sizing. With some subsidiary measurements there is very little to be gained by applying any range limitation.

4 APPLICATION OF THE DATA TO THE SIZING OF GARMENTS

From the statistical data presented at Tables 5 to 13 specific body dimensions can be extracted to provide guidance to the clothing designer on the sizing of each size-roll garment. The data selected will depend upon the particular sizing approach adopted, particularly in relation to the degree of subsidiary measurement range limitation deemed acceptable. The very restricted range limitation adopted for the RAE FS(F) Department sizing programmes has resulted in garment size-rolls which have adequately met the predicted sizing and population cossesse requirements, without the imposition of unacceptable penalties on the lower percentile subjects in each size group.

Garment fit is influenced significantly by the dimensional clearances allowed between body and garment, thus well considered factors must be applied to the design data extracted from Tables 5 to 13 to define the actual garment sizes. It is important for these factors to take into account the bulk of any underlying garments such that in a 'family' of garments which constitute an AEA there are progressively increasing clearances on garments worn from the body outwards.

The designer's individual approach to data interpretation and the techniques used to ensure embodiment of the stipulated dimensions in the pattern drafts of each garment size are outside the scope of this paper. However, experience has shown that these involve relatively major changes to established tailoring pattern drafting techniques, particularly in relation to the meeting of defined vertical trunk circumference requirements. Changes are also required to the conventional pattern size grading approaches. These, particularly for girth dimensions, generally assume constant proportional size increases for ascending garment stars. For example, typically the male waist circumference is assumed to be equal to chest circumference minus 4 inches (10.16 cm) and buttock (seat) circumference is assumed to be equal to chest circumference plus 2 inches (5.08 cm). These assumed relationships are shown superimposed on appropriate scatter plots of the 2000 RAF aircrew survey data at Figs 2 and 3 which also graphically illustrate the wide ranges of waist circumference and buttock circumference relevant to any specific value of chest circumference. Figs 2 and 3 and their equivalents for other paired body dimensions highlight the overriding problem of human body variability which faces those engaged in non-bespoke military garment sizing.

Acknowledgments

The author gratefully acknowledges the assistance given in the preparation of Tables 5 to 11 by Mrs V.A. Roskilly (RAF FS(F)4 Division) and the contribution of Mr C. Leeks on data computation. Acknowledgment must also be made of the contribution of Mr Ron Williams of Beaufort Air-Sea Equipment Ltd who has so willingly cooperated in system proving and the production of patterns and garments to the data provided by RAE FS(F) Department.




Table 1

CORRELATION COEFFICIENTS FOR TYPICAL CONTROL DIMENSIONS AND SUBSIDIARY DIMENSIONS

	Weight	Chest circumference	Vertical trunk circumference	Stature
Weight	-	0.858	0.838	0.519
Stature	0.519	0.246	0-637	-
Chest circumference	0-858	-	0-662	0.246
Waist circumference	0.830	0.850	0.632	0.18:
Buttock circumference	0.928	0.799	0.773	0.395
Thigh circumference	0.874	0.739	0.669	0.267
Ankle circumference	0.677	0.476	0.539	0.355
Wrist circumference	0.650	0.536	0.554	0.278
Calf circumference	0.746	0.593	0.543	0.239
Vertical trunk circumference	0.838	0.662	-	0.637
Biacromial breadth	0.482	0.446	0.403	0.375
Shoulder breadth	0.773	0.759	0.631	0.364
Cervical height	0.537	0.281	0.639	0.975
Shoulder height	0.546	0.281	0.649	0.978
Waist height	0.464	0.239	0.487	0.881
Crotch height	0.359	0.148	0.344	0.880
Cervical to axilla	0.372	0.307	0.352	0.289
Cervical to waist (vertical)	0.297	0.159	0.481	0.468
Cervical to crotch	0.583	0.365	0.820	0.696
Axilla height	0.458	0.205	0.572	0.949
Waist to waist over shoulder	0.479	0.359	0.623	0.485
Crotch length	0.565	0.462	0.601	0.315
Wrist span	0.455	0.283	0.441	0.823
Elbow span	0.449	0.293	0-445	0.762
Elbow to wrist length	0.414	0.235	0.394	0.768
Axilla to wrist (vertical)	0.174	0.023	0.192	0.652
Knee fully bent circumference	0.748	0.565	0.646	0.469
Elbow fully bent circumference	0.657	0.585	0.570	0.378

AND THE PROPERTY OF THE PROPER

THE DIMENSIONAL SPANS OF SOME SUBSIDIARY MEASUREMENTS FOR THREE DIFFERENT SIZE-ROLLS.

RASED ON CHEST CIRCUMFERENCE AND STATURE AS CONTROL DIMENSIONS

\$15.	::	•	Vertical truek circumfereace	13	Mede	Walst circumference	Teace	Pacto	Buttock circumferunce	ference		Cervical to crotch beight	to The		Cotch beight	ij		Weist apas	•	j
		3 g	1 to 99 percentile	S to 95 percentile	2.3	1 to 99 percentile	S to 95 percentile	Min to Max	1 to 99 percentile	S to 95 percentile	4 4	1 to 99 percentile	S to 95 percentile	14	1 to 99 percentile	5 to 95 percentile	4 H	1 to 99 pencentile	5 to 95 percentile	subjects
	-	20.60	19.61	13.13	24.35	16.13	12.40	09.81	18.87	10.01	13.90	10.65	•.10	20.20	10.57	6.28	3.8	21.20	12.51	161
	~	22.70	19 .08	13.05	27.50	19.28	12.39	17.60	15.39	10.84	10.40	1.62	6.49	12.70	11.32	7.75	19.40	17.34	12.24	787
	~	::	2.8 2.8	2.5	19.36	18.10	14.75	16.60	16.27	10.65	3.5	10.6	6.12	3.	10.19	7.32	21.00	17.81	12.03	115
	•	24.15	2.5	13.80	23.74	17.73	13.50	17.80	13.19	3.	13.10	9.63	6.49	13.30	10.40	7.99	23.50	19.54	11.54	267
	~	23.23	19.40	14.29	17.17	19.21	13.76	19.50	13.04	10.14	14.30	9.97	6.72	15.20	11.6	7.96	24.80	18.71	12.43	311
	•	3.62	#: <u>=</u>	7:5	21.19	17.74	13.28	16.50	16.01	10.01	6.7 0	9.	¥:9	14.60	10.59	1.36	21.80	¥:91	13.17	174
_	_	19.63	17.81	3.5	25.00	23.39	14.72	17.30	13.77	19.01	21.30	10.51	3.	13.90	11.41	7.74	17.80	17.20	13.00	133
	•	\$. \$	17.57	12.75	23.91	19.36	13.35	33.60	14.28	*:	10.10	9.35	7.47	13.40	12.95	01.0	22.20	19.57	12.60	171
-	•	16.85	16.39	12.50	19.97	16.09	14.69	15.10	14.70	11.40	7.60	7.04	5.70	10.30	10.06	7.70	18.90	18.62	13.10	\$
_	-	22.65	20.09	12.98	24.54	17.95	14.31	17.60	17.16	10.58	12.20	9.38	5.99	11.70	11.59	7.07	21.50	16.78	11.63	101
	~	23.90	10.77	13.67	26.52	18.81	12.69	16.30	14.61	10.72	14.00	8.78	6:39	14.20	12.23	7.85	19.00	16.67	12.25	275
	~	20.55	18.85	13.05	21.70	19.80	12.85	17.60	16.24	10.68	10.00	9.47	6.63	14.20	10.57	9.09	21.00	16.99	11.64	176
	•	11.55	11.47	10.41	19.30	18.86	16.93	10.70	10.67	9.70	9.7 0	1.39	7.11	9.10	9.05	8 .34	13.20	14.68	12.15	*
	~	19.43	17.79	12.38	16.30	14.82	12.59	11.00	10.76	9.10	9.9	1.55	9.	12.60	10.89	7.60	16.80	16.45	13.64	=
	•	21.75	19.83	14.45	27.34	23.00	14.51	18.30	16.02	10.71	×.	9.87	6.40	17.60	11.10	•::•	22.80	17.73	12.43	3
	~	24.15	19.64	14.42	28.07	22.10	14.53	19.80	14.9	10.1	6	9.46	6.76	14.20	 04:-	8.23	22.80	18.08	13.22	***
	•	19.55	9. 9 .	13.86	13.64	11.19	13.06	20.90	17.17	16.01	9.70	1.54	*	12.80	11.35		19.00	17.98	14.54	101
	•	19.95	19.70	18.91	29.98	15.97	15.73	14.30	13.59	11.76	8:1	10.67	6.23	13.90	11.91	7.55	17.00	16.67	13.70	2
	2	24.70	19.13	14.25	21.09	20.33	15.07	22.60	19.63	10.23	11.30	.3	7.33	13.30	12.36	7.10	19.30	17.22	11.78	121
_	11	15.55	14.64	11.04	19.21	10.53	14.45	12.40	12.20	10.30	7.60	7.26	5.84	10.10	17.6	7.98	18.20	17.33	13.90	22
	-	22.65	20.42	13.47	17.E	16.60	13.00	17.60	16.94	10.65	12.20	9.79	•.00	11.70	11.63	6.45	16.20	16.13	10.23	2
	~	21.90	19.91	11.25	26.12	19.80	13.38	16.30	14.10	10.17	13.90	7.36	•.0	13.00	10.66	7.26	21.40	10.06	12.06	185
	•	19.70	19.03	13.59	27.50	20.76	11.57	17.60	15.31	11.02	10.40	1.17	•:•	13.20	9.53	19.9	20.40	18.46	10.88	212
	•	18.10	17.09	14.20	13.S	18.50	15.51	8.3	16.34	11.07	•:•	:	1	1:8	10.03	7.36	21.00	18.73	12.24	=
_	•	11.55	#:	10.63	19.30	17.95	13.24	10.70	10.29	6.63	.70	1.42	7.30	9.10	\$.05	8.62	15.20	14.74	12.68	23
	•	17.55	17.39	======================================	16.01	14.58	12.62	10.80	0.01	7.86	0. io	6.73	6.37	2.8	10.10	7.32	16.30	15.43	11.68	2
	_	21.15	19.65	14.93	27.34	21.69	14.02	17.80	10.74	10.21	13.80	9.37	6.03	13.30	10.11	7.18	22.70	19.55	11.96	234
_	•	22.95	20.45	3. 2.	23.17	27.70	×.×	17.20	16.24	11.03	×.30	90.01	6.82	13.20	10.92	7.22	24.80	17.38	12.35	452
	•	21.55	19.17	2.3	23.34	19.51	19:41	20.80	20.19	10.23	10.70	6 .8	‡.	11.20	10.32	1.02	23.70	17.01	13.81	278
	2 :	3	18.12	14.73	7. ·	18.13	13.24	2.8	17.30	10.67	3.	9.49	6.42	2.8	11.79	7.X	79.00	06.81	**	2
	= :	17.95	27.73	8	20.92	80.7 9	2.80	2. 8.	12.78	10.95	8. 8.	10.22	6.35	8.	9.0	7.7	27.60	17.37	12.16	3
	2	3	19.57	3.5	2.5	2. 2.	3.5	27.52	17.21	10. 14.	<u>2</u>	2.67	6.37	11.70	11.42	1.27	2. to	10.17	11.96	2
	2	25.75	₹ :	15.21	20.93	19.63	2.3	3.5	3 :2:	2.92	8 :	ī :	2.03	0.60	10.20	20.5	3.5	¥:91	3::::	3;
-	=	15.55	<u>:</u>	7:11	13.51	3	25.63	2.03	21.01	7.7	2:-	7.7	16-0	2:5	4.74		2			

Measurements in centimetres

SOME SUBSIDIARY BODY MEASUREMENTS USED IN RAE FS(F)4 DIVISION
AIRCREW CLOTHING SIZING PROGRAMMES

Weight Stature Chest circumference Waist circumference Buttock circumference Thigh circumference Vertical trunk circumference Biacromial breadth Cervical height Waist height Crotch height Cervical to axilla Cervical to waist Cervical to crotch Axilla height Axilla to wrist (vertical) Knee fully bent circumference Elbow fully bent circumference Heel-instep circumference

Table 4

THE EFFECT OF THE SELECTION OF DIFFERENT PAIRS OF CARMENT SIZING CONTROL PARAMETERS ON THE RANGES OF SOME SUBSIDIARY DIMENSIONS

			2	nge of recorded	subject measures	Range of recorded subject measurements - centimetres	•				
Size Bumber	-	2	3	•	\$	•	,	•	•	Min Lage	X 2 E
			đ	est/vertical tru	Chest/vertical trunk circumference control	coatrol					
Stature	160.20-181.90	165.10-190.70	157.60-185.50	162.90-194.10	166.60-193.40	165.00-189.10	162.50-193.50	169.60-200.50	170.60- 92.60	21.70	31.20
Chest circumference	83.30 - 90.90	83.20- 90.90	91.00- 98.60	91.00- 98.93	91.00- 98.90	06.901-00.66	99.00-106.90	99.00-106.80	107.00-114.40	7.40	7.90
Vertical trumk circ	149.00-155.90	156.09-162.80		157.00-163.90	164.00-170.90	156.10-162.90	163.00-169.90	170.00-176.50	168.00-174.90	9.50	9.90
Weight	2.00- 70.00	57.00- 74.00		60.00- 82.50	63.00- 87.50	67.00- 88.50	71.00- 95.00	75.80- 97.00	80.00-104.00	16.00	24.50
Carvical height		140.80-162.60	134.00-159.90	137.50-168.60	143.10-168.30	141.00-165.70	139.80-167.10	144.00-174.90	78 50-167.10	21.10	3.50
Crotch beignt	25.6	8.5		76.50-100-80	20.30	40.40- 55.20	04.04	40.40- 57.90	41.40-54.20	12.50	19.60
Uniate circumfacence		66.00-93.60		68.10- 91.20			79.00- 98.80	79.80-100.10	78.70-108.70	17.00	80.00
Buttock circumference		85.90-101.70		68.00-105.40			94.80-109.80	96.50-118.30	100.00-112.50	12.50	21.80
Maber of subjects in	401	*	222	¥	264	152	30	140	59	Total	1845
2 Total entwey popul	5.20	4.85	11.10	24.70	13.40	7.60	15.45	7.00	2.95	Total	92.25
				Stature/chast	Stature/chest circumference control	atrol					
Statura	165.00-172.90	165.20-172.90	165.00-172.90	173.00-180.80	173.00-180.80	173.00-180.90	181.00-189.00	181.00-189.00	181.00-189.00	7.70	9.0
Chest circumference	83.20- 90.90	91.00- 98.80	99.00-106.60	83.30- 90.90	91.00- 98.90	99.00-106.90	91.00- 98.90	99.00-106.90	107.00-114.70	7.60	7.90
Vertical trunk circ	141.20-161.70	147.40-171.60	_	146.00-165.40	143.50-172.50	155.90-177.70	155.40-177.30	156.80-180.00	163.00-185.20	19.40	24.20
Weight	\$1.00- 68.50	58.50- 81.00		54.50- 74.00	60.00 14.00	67.00- 97.00	63.50- 87.50	72.00- 95.50	84.00-106.50	17.50	8 3
Cervical beight	74 30-150-80	137.90-150.20	75.00-150-10	79.50-136.60	77.70- 61.70	78.30-91.50	84.00-96-00	82.60-104.00	84.50-93.60	3 8	16.20
Artile to write		36.30- 53.00	40.40- 50.50	42.70- 53.00	3.50 X	41.80- \$4.50	44.40- 56.30	43.90- 55.60	44.50- 54.20	9.70	17.90
Walst circumference	67.30- 92.10	71.50- 91.40		66.00- 93.60		74.00-100.10		78.80- 98.80	89.20-103.70	14.50	27.60
Buttock circumference		88.00-103.70	-	85.20-101.70	84.50-105.40	94.00-118.30	86.20-106.40	95.90-114.10	100.70-116.80	12.20	24.30
Mumber of subjects in		:	*	-	3	702	76.6	101	*	1	100
group I Total survey popul	8.5	11.05	08.4	5.85	25.40	15.30	11.70	9.65	08.1	Total	90.35
				Stature	Stature/weight coatrol						
Stature	165.00-172.90	165.00-172.90	166.20-172.90	173.00-180.90	173.00-180.90	173.00-180.90	181.00-188.40	181.00-188.70	181.00-188.70	6.70	7.90
Chest circumference	82.20- 99.40	89.00-107.50		84.30-101.60	89.50-111.10	96.20-111.50	85.70-101.20	89.70-108.70	96.50-112.20	15.10	21.60
Vertical truck circ	146.30-166.70	147.40-167.20		149.00-165.40	151.40-172.60	157.80-177.70	155.40-172.30	158,00-176.20	161.40-180.00	16.40	21.20
Velght Committee to the	26.6	05.77 -00.50	76.50-67.00	145-10-156-60	143.60-157.50	147.20-157.20	157 70-161 20	149.80-164.00	152 90-164 00	0 6	14.20
Crocch beight	71.70- 68.50	74.50- 87.90	72.60- 86.40	77.70- 93.00	78.30- 91.20	79.00- 91.50	84.70- 95.90	83.70- 96.00	62.60- 94.80	11.28	16.80
Axilla to wrist		39.20- 53.00		43.50- 54.10		41.40- 54.50	45.30- 55.10	44.40- 54.80	43.90- 55.60	9.40	17.90
Waist circumference Buttock circumference	67.80- 92.10 87.30- 95.50	92.40-103.60	98.00-108.00	66.00- 93.60 87.60-100.30	92.80-106.50	97.80-111.40	86.20-101.40	95.90-107.00	99.10-111.40	28.29	15.20
Sumber of subjects in		•	•	;	;		:		;		
group I fotal survey nogul	7.95	• • • • • • • • • • • • • • • • • • •	* ² .	12.40	33.80	215 10.75	122 6.10	223 11.15	5.60	Total	89.69
dad farms comes a											

Table

SIZING COVERALL STATISTICAL DATA FOR AIRCREW

STATE CONTROL MASSEMBLETS 1st

CHEST CIRCUMPERINGE

NIZE CONTROL

172.99

32.00 29.20 בה פנ 1 93.75 Circumference 22.9 deteni-Leek 59-10 1 (23-10) 1 41-10 1 40-10 2 30-20 2 1 (60-10) 1 (23-10) 1 41-10 1 40-10 2 30-50 1 29:48 35.16 10.50 1 35 50 4 13 50 2 39.10 29.36 8 29.40 Elbow Fully Bent 39.60 41.50 44 10 Ciromference 44.72 2 30 4 10 knee fully sent 111-46 89-21 20-54 42 46 67-34 121-84 45-92 40.20 56.62 123.06 40.44 1 45-40 1 1-30-70 1 191 -40 2 112.00 1 31.50 1 21.50 1 43.50 1 67.50 1 132.00 1 50.40 1 40.72 46:35 67.06 1131.13 | 48.62 1.984 2.375 2.054 49.10 Axilla to Wrist (Vection) 4150 1 48.70 42.20 1 67.20 2 13.40 1 49.70 122.52 130.70 30.70 2 J22.80 1 - Q- R 10.0 80 tagion affirs 1 | 1-1.50 | 2 | 1-1 | 1 | 1 | 1 | 1 | 1 | 1 | 3.149 55.60 65.30 \$1.18 67.14 1 16.30 Corviced to Grotoh 1 05.60 1 16.30 1 105.00 32.90 33.30 27.55 34.20 1 5.100 41.18 27:17 41. 10 772-96 90-92 85-94 97-20 57-92 161-54 41-80 149-12 111-46 89-21 20-54 42-4 COLATORY to MALES 33.40 34.80 1 41.10 41-32 147-20 109-80 84-54 18-TD 12:88 101-30 1 TT-10 1 14-20 1 35.00 3 140-14 2 101-50 1 78.00 3 14-30 1 13.14 14:08 1.578 ALLINA of Lantwico 100-61 1 JOS-601 1 JOS-011 139.80 100.34 Tb. 6b 35-62 140-04 100-94 71-04 HR-04 110-58 186-82 1 00-11 1 100-11 1 17-00 1 165.000 23.20 | 67.30 | 25.40 | 44.70 | 141.20 | 35.10 | 135.50 | 99.30 | 76.20 tagion dotors 15 00 3 172 70 1 20 70 2 19 40 1 35 70 1 57 10 1 100 10 1 41 50 3 147 10 1 1110 10 1 1 4 60 suffest setting 4.2 62 1.543 35.TO 2 140.20 L DELATOR HOTERS 1.654 96.86 57.38 160.66 41.48 10- 129 169- 691 122-214 TA- 644 191-349 ISI- 663 152-653 38-799 35.40 142-50 1 35-60 1 20-10 3 79-10 1 25-50 1 56-50 2 :59-50 1 4-10 20-10 2 79-40 1 96-70 1 57-10 1 10-0-10 1 41-20 24-20 1 16-20 1 13-30 1 64-20 1 15-30 1 47-50 2 144-60 1 46. 92 142.96 2.129 45 . 84 | 141 . 91 56-90 159-80 4.012 CTLOREST STADOS Vertical frunk 101.94 4-221 3-205 5-031 67. 67 172. 60 90.65 78.90 96.30 1 05-96 1 01-61 5 04-06 1 04-271 1 05-30 1 23-40 1 LT-60 1 185-60 1 15.52 165.04 83.48 67.68 86.08 19.28 02-89 05-41 TO-68 00-0T1 92-8E 8T-96 38-21 3.725 11.26 172.86 90.82 1.236 2.515 165.00 53.32 165-15 13-70 STD M 5 06 ST 1 05-84 0.51 51.87 10.11 1 0145 51.00 16.01 3-844 54. 29 17.94 30.45 1.312 79 16.50 DE SEPT OF Coefficient of Variation \$ to of Survey Sublects lax -) Bessuresent H - 4 Besuresat in + 1 Reguresent 18 + 3 Begruresent A + 4 Beautiment - 2 Beargeant ax - 1 Begenresont A + 2 Reservasors 25th Persentile ofth Percentile 29th Percentile Tith Percentille 50th Percentile ist Percentile in Percentile ith Percentile 2nd Percentile

figure gives in the separate Ē

survey subjects having that particular measurement MEDAT OF - 1 eto, indicates the j Ma + 1 sto, Max, ections Ele. 20 June

Table 6

STATISTICAL DATA FOR AIRCREW COVERALL SIZING

CONTROL MAASUREMENTS 1st STATUS

		SZ 14Stoll	entait	Open Cromserace	Waist Circumference	Buttuck Circumference	eomeratumorio data	Vertical Trunk Circumference	dibeers islacmais	fig.es factored	idates fulsk	Crotoh Height	affixă or facivisto	Cerytoel to Maint	Cervicel to Grotoh	drilla Beight	feith of affira (factivey)	fine fully Bent Circumference	Elbow Fully Bent Ciromsterence	
9.9.90 16.20 10.20 1.2.9	13.m	103.35			-	G	8	Ę	Ē	Ξ	30 2	E	9	-	E	1-	8	 -	۱۵	9
2 Becomments	ila + 1 Bestresent	100-65	105.31		-		-	E	=	E 64	1 08	1	2 01	-	3	Ŀ	E	8	3	=
Secondaria Sec	Lin + 2 Beargreent	1 12 6	1643			7	3	2	1) po	08	*	£	1 00	@3	-	2	8	25.03	2
Appoint	tin + 3 Messurement	7 05-4	-			3	8	- 8	-	1	2	-	20 4	40 2	1	1 0	ľ	Γ	QL Q	2 29.50
Section Sect	lin + 4 Beamresant	1 05 41	12.51	91-40	1		\exists	ध	7	-	2	E	3	-	1	-		-		3 25.70
Secondaria Se	ist Percentile	31 : 65	_	8	12.21	9		7			.43	\blacksquare		ķ	_	_	Н		30.47	52
Marcountiable Marcountiabl	2nd Percentile	22.82	46.241	8	13:51	13		18	_		_	41	٠ و	3.35	_	_		-87	30 57	
National State 16.52 20-17 14-34 20-19 51-24 150-01 37-39 160-94 10-19 71-55 14-48 34-49 12-9 13-50 12-14 45-19 13-50 13-19 13	ard Percentile	20:05	18-641		13.91			_			_	Н	_		_	23 - 21	Q		30.17	
National Section National Section Sectio		26-19	28-541	71.18	14:34	ģ	22	19.051				51	86.	Н	I		54	40.58	31.03	7
No. 24 172-54 28-27 87-73 100-73 59-54 145-67 146-49 110-35 84-34 19-14 41-14 65-54 13-72 45-59 35-54 145-59 155-	oth Percentile	95:39	11.51		_		=	25.42		55	8	-	١٩	66.7	88	46	S - 68			
Parcountile 77-47 172-73 98-36 87-29 101-78 60-61 165-62 111-52 89-62 111-53 89-62 111-53 89-62 111-53 89-62 111-53 89-62 111-53 89-62 111-53 89-62 111-53 111-53 89-62 111-53 111-53 89-62 111-53 111-53 89-62 111-53 111-53 89-62 111-53 111-53 89-62 111-53 111-53 89-62 111-53	Sth Percentile	16.34				М		18:53	-12	11	_	Н	_	1-14	_		1			
Parcentile 18:67 172-71 28:56 102-03 14:01 165-83 47:95 11:53 11:53 84:96 12:75 12:7	77th Percentile	11.12		91.35		-	_	G				Н	49	.24	Ĭ	21. K	69	46.29		
National Color 1988 1988 1989 1889 1989 1989 1989 1989 1889 1889 1989 1889 1989 1889	98th Percentile	18:67		21.51	88.56	102		185-83	-95	_	53	Н	-89	7.5			Ī	-	36-31	
- 4 Month Control 17450 274.20 3 49.40 1 100.00 1 10.00	29th Percentile	20.02	112.82		55.53	. 1	_	166.83	5	25	=	\dashv	0.41		96		46		36.59	
-3 Month Control 13-00 1 13-05 1 1 13-05 1 13-05 1 13-		रक्रम	_		1 0-38	7	7	-	-	-	3	201	-	-	1	Ĺ	L	_	1.80	11.20
Date 17275 4 76.50 18240 2 10376 1840 1 1840 1 1840 1 18540 18540 1 1860 1 18560		1000			ᄀ	급	7	3	\exists	-	\dashv	-	2	-		4 2	30 1	1 03		व्यः ग
Bit Col. 1 Table 1 Pr. Lo. 3 Social 1 Institute 1 Late 1	lex - 2 Heartreport	नवस्य	SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF T	1 व्ह	~	-	103		110	1 1 1	-	-	50 2	40 1	L	en i	50 2	2	6.70 F	33
8100 1 72813 9130 2 21-48 1 10376 1 22.00 1 1040 1 1040 1 10478 1 11-10 1 10376 1 1250 1 1250 1 149-50 1 37-3 64.731 195-5379-13 20-26 26-16 55-154 154-20 20-226 106-114 50-115 17-10 2 31-10 1 15-20 12-15 4-15-20 33 6-124 2-132 8-205 3-847 2-935 2-682 4-214 1-520 2-247 2-317 1-434 2-019 1-70 2-421 2-310 1-643 1-6 6-175 1-261 2-326 4-751 3-362 4-833 2-685 3-282 1-555 2-303 8-392 5-456 3-028 1-900 5-062 3-79 4-15 237 2-31 2-31 2-31 2-31 2-31 2-31 2-31 2-31	7			28:40	-	9	30 (-	9	-	1	1	1 00.	Ш	1 05	-	1	-	1 28: 9	33.7b
48-731 193-137 24-16.3 10-941 94-148 55-154 154-348 70-724 104-114 10-161 17-089 38-101 153-900 127-454 45-162 43-160 153-900 127-454 10-959 38-161 153-90 127-454 10-959 10-950	X	1 00 18		21.80 2	1 06-10		E	1	1 00	-	1	1	1	1	1	_	- 8	-	- 120 CS	33.8
4-248 2-139 8-205 3-847 8-935 2-682 4-214 1-520 2-247 2-871 2-372 1-434 2-079 1-590 2-421 2-310 1-643 1-643 1-6415 1-261 2-326 4-751 3-362 4-833 2-685 3-382 1-555 2-705 2-943 8-392 5-456 3-308 1-900 5-082 3-798 4-247 237 237 237 237 237 237 237 237 237 23	last.	167.74	150-637		196-08	168	4	2,6:	926	625	+11	223	680.	ē			. 622	.250	33 - 384	-
6-175 1-261 2-326 4-751 3-362 4-83 2-685 3-382 1-555 3-705 2-943 8-392 5-456 3-038 1-900 5-642 3-758 4-23 237 237 237 237 237 237 237 237 237 2	Ð	4-248	-	1.205	3.847			4.2.4		.247	. 171		_	610.	280		310	3	1-410	-
237 237 237 237 237 237 237 237 237 237	Coefficient of Variation \$		_	2.32b	4 .751	3.062	4 - 133	2.685		Н	_	-	.392		Ī	_	290.		1.225	1
	to of Sarway Statects	777	23.7	237	237	237	23.7	237		237	37	35	237	237	237	237	236	236	236	

subjects having that particular

ä

- 1 eto, indicates the

j

Table

SIZING COVERALL FOR AIRCREW DATA STATISTICAL

2nd CHEST CIRCUITY RELECT ALL VIEW CONTROL MEASURISHINGS 184

NAMES OF SUCES

MEASUREMENT PARTE

TOTAL

Ю

66.301 a mare 165.00 m

29.59 29 . 20 30.35 34 - M3 31 - 922 CILORNICLE 9.0 34.00 detani-leak 37.54 34.40 4 - 288 Elbon Polly Bent 32 - 60 |58 -80 |122 -60 |40 -40 |41 - 00 44.40 47.24 1 69.61 131.92 60.12 47.67 48.51 44.447 3.677 1. 534 4.55 OTLONG TOLOGO 12 0 2 42.00 3 41.90 **50-101 | 100-101 | 101-00| 1 | 101-00|** Ense Fully Bent 41.84 42.88 | 59.71 | 133.01 | 50.40 44.932 4.55b 1141-58 1101-04 176 42 115-04 134-29 158-95 1122-0 140-84 14-60 127-87 44-57 15:45 49:31 Arille to Wrist (Vertical) 12.181 122-78 23.44 38-339 144-TIS 1127-525 1.139 STITTS MOTERS <u>જિલ્લા મર</u>જાા છાતા જ 1 02 14 59.54 11.05 b2:44 59-ts 11:14 COLATORT to Chotop 01.8E 31.TI 42.41 42.62 5.670 34.50 1 33 : 43 15.22 34.74 42.54 34-40 1 34.80 Service) to Mater 23-50 **€** 20.05 111:52 88.45 20.52 \$7:12 12.57 105:50 97.91 101:01 64:83 172:19 43:23 149:21 11:12 95:93 20:12 7.733 15.50 1 17.71 COLATOUS to WEISTE 101-81 76-78 45.08 OF 40! 60:31 ST-04 03:131 161-922 40-484 145-3141.cs.bideo.bo3 3 077 1 05.45 <u>65.00 line.on 199.00 | 71£.10 | 92.00 | 52.50 | 151.40 | 35.00 | 141.00 | 100.50 | 13.00 | </u> 42.82 148.84 110 74 84.35 48.35 ¥:14 34.30 tastes forest 1 24:20 10:11 2.511 1 क वा 2.750 141-18 100-59 trigion total 14150 49.4 H9:V0 1 154 04 38 TO 141-T3 149-42 7.9 1.451 DELATORY HOTERS 100-2013 196-601 (100-30), 163-301, 111-00 1 (42-30) 1 4 .019 171.07 43.01 172:10 1 43:20 2 35.25 1 25.00 1 53.10 1 158.20 1 35.10 1 1 05.50 1 159-70 1 25.50 1 53.28 153.34 32.22 11.64 43.17 4.676 Cfromperence 153.2 Vertionl from 12.54 45.501 | 05 - 25 | 65 - 00 | 65 - 92 | 08 - 101 | 65 - 45 | 152-32 168 - 101 W - 1520-501 1 hot ool 1 144-80 1 53.48 5 02:24 5 Jac. 401 53.30 1 53.05 21.39 | 40.02 | 00.49 | 01.531 | OT-13 1 25:101 78.03 93.84 19.20 14.41 39.00 \$1.0b 95.92 28:401 96.00 24.90 14-50 2 50-10 t \$6.54 172.84 104-41 97.34 84.46 ZZ. 401 NOTES CETO 25.46 11.6.18 39.99 104:00 Z HESOLINGSOLISOLIDIA CTE man 2 G2:50 12:15:1 m sol3 22. 07. 120 - 22 01.271 TT-00 1 172-50 1 02.28 M. 24.22 1.5b 91-60 1 5 00:31 4.410 DE SUPTOR Coefficient of Variation \$ to of Survey Subjects Z - 3 Beengreent Z - 4 Resenvenent - 2 Begeurenest 14 + 3 Securement - 1 Begarment In . 1 Bearinger LA & 4 Beautions A + 2 Beaution Pith Percentille st Percentile Oth Percentile SOLD PRINCIPLE 5th Prosetile ILL Personalise rd Percentile he Percentile ith Percentile

against Ein, Ein + 1 etc, Kax, measurements in continuities)
figure gives in the separate column

Table

STATISTICAL DATA FOR AIRCREW COVERALL SIZING

<u>"</u> CONTROL BEASUREMENTS

STATURE CHEST CIRCURFERENCE

31218 MARKER OF

GREST CIRCURISECE 83.00

NEASUREDGET LANCES

CONTROL

4

SIZE

180.99 90.99 2 2

30 03 Circumierence Heel-Instep 13.40 32.75 30 03 Circumference Elbow Fully Bent 42.58 45.39 39.75 46.20 45.37 129 at 1 40 2 44 30 Knee Fully Bent 49.47 51 10 118 40 43 56 129 29 44 72 52 06 52.54 Axille to Wrist (Vertical) 51 22 4.175 137 50 2 52 60 127 10 1 133 43 137 42 137 72 1.782 exille Hotept. 81 5 9 68.80 £6 93 14.84 800 69 23 68 70 Ceratory to Crotop 39 204 15:30 2 278 38 95 43 47 34 68 42 92 43 35 33.84 34 53 COLATORS to Mater 2 34.50 0 43 50 44 10.333 13 76 \$0.17 113 27 Cervical to Axilla 1 04 18 1 06:501 150 51 110-41 | 85.15 2 - 309 2.709 89.17 90 39 trateh detent 105.9% 117.00 2.526 104:93 155 31 115:90 150-516 110-585 115 57 116.76 108.2 Maint Holght 6 20 191 155 70 1 35 64 145.23 36.53 145.35 154-12 155 29 26 351 2.369 1514 145 12 146.79 **24.45** S. 3 560 COLATOR Herkht हन बह 39.83 42.17 39.619 4 . 256 2 62 45 41.81 42.05 42.28 35.19 8 Bisorosis, Bresdth 162.12 וני נפון ור בכ वहव वड़ा M6.26 46. 20 148 . C! 4 b 30 149 .C 154 451 154-12 2.404 100 594 142.86 163 85 151 00 2 Cfrommerence 3.767 00 641 11.3 80 149.30 149 40 Wartical frunk 46.20 5b 7b 74 558 92 984 | 52 410 5.138 4800 2 51 27 52.35 47 24 1 51.00 111 86.00 57 45 \$3.10 29.58 3 406 45.18 48 -18 82 - 8E pritook Circumierence 02.4 1 23.30 56-51 113-02 84-55 66-90 14.10 91.46 10:49 66 54 80.54 91.19 5.031 Ξ Maist Circumference 54 59 173 80 83 47 14 46 116 38 22 OI 14.08 90.19 21 685 AE 28 91 ET. 20.75 1112 Cyest Cfrommierence 20 1 23 1 80 W 21. 66 1150 43 176 509 113 204 180.30 13:10 1 130:50 Z 2.105 1.142 mod 3 15C-40 orwinds. 70-50 il 1000 to 22.52 2 00 15 55:34 12.91 71 00 1 1887 4.492 3115 2.98.5 12.07 Motert Ke 57 50 Coefficient of Variation & to of Survey Subjects in + 2 Heasurement n + 1 Messurement x - 3 Hearureant at - 1 Begauragent in + } Measurement in . 4 Reservement - 4 Beartreent - 2 Measurement 5th Percentile 8th Percentile 19th Percentale Oth Percentile th Percentale lst Percertile rd Percentile nd Percentile th Percentile

- 1 etc, indicates the meher of survey subjects having that particular measurement 00 measurements in continetrus) figure gives in the separate

Table

SIZING STATISTICAL DATA FOR AIRCREW COVERALL

STATE CONTROL MEASUREMENTS 1st

2nd CHEST CIRCUMPRESSION RUGEZ OF SIZES

MASURDET RUCES

CONTROL

10

3118

Cfrometerence

20.75 34:03 1 55-00 2 31-00 S 38-10 2 36-20 2 39-40 Heel-Instey 30 80 2 36.80 1.347 3.970 3,38 Elbow Pully Bent 40.90 47 29 46.77 3 . 698 4 44.149 :TLOMPLELEDOS 00.0 8.10 1 42.50 1 40.10 knee fully Bent TO 2 10 50 1 125 1 1 105 07 5 01 - 24 61.31 127.90 42.81 43.56 Axille to Wrist (Vertical) 43.96 47.15 51:15 51 . 19 25.00 17- 614 | 39-464 | 61- 012 | 133-646 | 47- 637 4.658 43.31 1 72:50 1 120:40 1 59:10 128-12 1 28-40 2 44.20 3 71.10 1 h39 00 1 128-55 66 - 02 133 - 19 177.94 27-381 82-9T 100-61 129-43 137-64 69-92 131-19 3 . 145 1.155 tagion affixa M:m 127.90 -177-60 62.53 62.16 E 95:3 61.69 69.59 **60-00** R COLATORY to CLOSOP 34.50 2 43.88 34:41 35 - 22 35.60 35.89 39.37 43.04 44.16 5-414 43 - 49 COLATORY to RETER 1 34:30 33 50 198.90 34.10 44.30 1 22.20 1 48 80 20.83 1.6 28.61 14-81 20.49 14.05 15.12 1.591 14:57 Maryical to Axilla 14-00 H-ID 21.20 8.8 25 -43 42.97 1155.02 Jus. 24 | 89.00 4 19:30 19.20 80.53 11.30 28 - 25 02 · 06 | \$15-F11 40-400 1151- 280 1111 - 253 125- 273 2.780 29.90 89.40 91-70 I 2.830 2.37t Crotop Bettpt 78.80 m·soli bosol וספיספל יו לסדירוו LAT. 401 | EZ. THI | BT. TE 104-30 164-21 105-62 10b-1£ 11b-45 116.79 112:55 1 113:50 1 hsrsoi 1 hts-50 2 2.542 146-50 1 100-10 1 111-43 AA-00 2 104-20 1845 43 . 35 155 . 60 169-95 43-60 155-79 151-72 | 37-02 |146-71 156 - 51 1.629 2.372 Hb-20 1 146:02 H6:94 151 - 32 tagion Lactwice M.10 1 08:30 1 03:30 36.50 \$0.48 61.26 168.69 43.22 37 - 21 15:45 CD-20 1 98:30 169-42 5040 1 150:41 152: 24 151-59 168.02 Te-ed 2 धाः स्म 2.636 58.041 CTLORES, SLEDOS 15030 710-10 TZ CO Vertical Bru रिवास 12.60 2 51.47 194-10 1 162-00 1 \$0.44 104-68 62-05 56 : 939 1 69.30 65:03 61.56 X - 701 4.8.4 56.08 49.52 50.92 48.00 49.10 22 -78 62 52 22 29 FE LLI 18 11 90.40 1 12 15 91 . 12 13.58 92.14 SE 28 103-18 103.18 S OS FAIL 3.015 3.15 102.58 20.40 91 . 15 11.415 02-03 90.20 1 09 3 1 12 30 4 94 30 15 10 50 2 87 48 2 33 6 821-02 989 PELSIO STILL १ ळ ५ 71 32 \$0.45 |150-75 | 28 189-74 52 50 2 1180 5d8 lox 80 5 191 70 11 5.215 173.00 191 00 170 81 S 87 01.0 Mater Circ 81 00 18079 94 76 02 19 81 50 173 39 51 42 2 30b 9 40 4 91 10 78 84 180 35 98 43 इंडिंग किस्टेड अस्ति 2 01 10 91 20 12 co 7 in so 173 102 13.12 23 32 150 55 73 00 1 180.TO 7 2.174 1 60 17 **BD SS** 62.54 64.54 63.11 31001 b 042 31 taglet Coefficient of Variation & to of Burrey Subjects 12 + 3 Measurement LE - 2 Honeurenent in + 2 Reservence 12 + 4 Bearresat AE - 4 Resurespt - 1 Beseuresent - 1 Beartreent 7th Percentile 97th Percentile 96th Percentile 7th Percentille 50th Percentile th Percentile st Percentile 2nd Percentile rd Percentile

survey subjects having that particular (All measurements in continetres) The figure given in the separate column against Him, Him + 1 etc, Hex, Hex - 1 etc, indicates the number of

501

508

208

201 | 501

Table 10

STATISTICAL DATA FOR AIRCREW COVERALL SIZING

= CONTROL MANAGEMENTS

STATURE CHEST CIRCUIS BEINGE

9 81213 NUMBER OF

MEASULCHER PLUCES

..... 004TEOL

Q

GEST CHEST CHEST 29.00 m 100.99

30.70 30.64 30.76 31.17 37.471 34.42 Circumierence 30.45 9. SE 306 Heel-Instep 37 - 78 Official eremos 306 8 Siè Elbow Fully Bent 1 42-40 1 41-60 1 42.66 45.34 -B-30 2 48.99 Ctrommierence 20.25 45:54 40.70 13.14 306 4. 14 49.39 2 41.10 00:00 Knee Pully Bent 1 72:20 1 139:30 2 53:80 1 49:40 49.50 ₽.**\$** 47.38 52.56 35.50! [63.10] 1 [ng.10] 1 [42.50] 1 63-47 128-12 42-72 63-12 43-06 taille to Wrist (Vertical) 42.51 51.74 139.19 53.09 53.00 2 52-14 5 - 318 306 €. 125-TO 1 42-10 177.30 139-TO 2 53-10 1 53.30 125:30 (139.53 63 .31 128 - 66 66 64 133 86 137.67 43.54 70.99 138.49 15470 1 117-90 1 150-60 3 21-90 1 133-80 2 172-00 1 178-64 1 L153-727 2.416 1.951 Axilla Hotgh 306 177.30 70.64 21.89 43.99 72.09 115.343 41.815 151.501 111.656 84.908 118.074 39.634 14.595 21.19 3.001 9 306 62.50 62.38 Coraton) to Crotob 35.56 1 35 20 39·5b 43.69 24:10 1 48:00 I 35.92 36-17 43.27 5.345 Cervicel to Maint 33.30 35.30 3450 44.00 1 1115.20 1 31.30 2 22.30 1 46.30 20.4 20.55 15:04 20.40 1500 18.04 21.04 1 22.00 1 2.982 8 -536 15.21 306 15.12 14.61 14 - 60 1.543 Corvicel to Axilla M-30 <u>0</u> 21.30 37.75 147.54 106.26 80-41 151.76 111.58 84.87 HT 20 2 1105 50 2 179 30 1 1 05-87 1 05-801 146.55 | 105.11 | 79.01 117-23 90-46 91 . 09 10:81 80.68 | 10 P. 09 | 89.09 156-69 117-48 | 90-60 71.65 44-40 2 1540 2 115-00 1 90-80 2 303 Crotch Height 146.50 L has 40 L Tr.50 18:301 156.80 117.99 106:13 2 - 890 2.587 306 neres Horen 8 106.10 15.50 2 197.22 147.90 156.35 1. 645 2.416 1. 611 306 306 COLATOR! Hotelpt 156.20 4 157.10 53.00 2 154-tg 1 37.40 1 1 02 15 1 101.451 38.43 43.92 37.46 44 . 65 1 व्यःस 3.912 37.31 41.40 44 . 13 44 . 39 37.30 1 35.30 Biacromial Breadth 52.60 1 156.50 2 157.20 173.78 53 - 54 157 - 12 172.13 113.25 174-29 14:00 2 PT-20 2 157-68 15.20 1 St. TE 151-53 1 05-15 1 01-52 1 05-011 1 06-10 1 04-401 4:113 156.31 2 - 491 Circumierence 306 155-90 n3.90 8 Vertical frunk 53.40 1 65.93 27.75 70.77 8 23.55 44.43 59.650 2.75 10101 53.94 4.690 53.30 61.10 173-42 99-40/5 TB-70/1 95-10(2) \$8.48 | 180-67 | 106-14 | 96-76 | 108-48 109.79 3.237 \$0.24 | 25.11 101:01 102-064 | 18-169 | 102-410 4756 3.218 81 - 04 95 - 94 102.18 2 81.53 97.21 107.37 TO 40 1 175.70 2 79.70 2 15.90 1 194.50 35-36 1 02-27 8 12-20 1 25-00 306 ok Ciromaferen 109-80 111-40 1 103.45 \$0.94 | \$2.101 | \$2.171 | \$9.02 er. 79 | 65 dol 13.04 15.21 97. 19 4.176 306 Matet Ciromier 104-10 1 JT-10 99.00 20. 98 | 45. ETI | 20.21 29 . 12 47. 65 Ina . co ! 29 . co **61.201** \$2.92 | 180.73 | 106.36 2.107 306 Chest Circumiarence 113.11 73.53 \$7.80 180.56 180.78 19-30 । किन्छ। 10000 1.50 2 home 14 33.30 1 180 m 6 171-151 5-670 1-294 21.00 1 http:50 2 2.133 306 PLETATO Za:10 5 22.29 והפב 21 - 24 20.517 415.4 34:00 L 306 DE SUPPOS Coefficient of Variation \$ Se of Burvey Subjects 1 + 1 Magauresent A + 2 Regsurement n + 3 Measurement 12 - 3 Messurement A . 4 Measurement - 4 Bearingent - 2 Heartreant - 1 Hearurenent 35th Per sentile Hth Percentile 9th Percentile Oth Percentile th Percentile et Percentile ird Percentile 2nd Percentale ith Percentille

i measurements in continetres) Agare given in the separate column against Min, Min + 1 etc, Max. Max - 1 etc, indicates the number of marwy subjects having that particular measurement

Table 11

STATISTICAL DATA FOR AIRCREW COVERALL SIZING

COPTROL MEASURIDATE 1st STATUR 2nd CHEST CIRCUMPRISES

6 RAUSER OF SIZES MON MEASURED FOR CONTROL 7

CILORELALODO 4.028 | 2.193 **35** +60 Hoel-Instep 37 . 3% 24-421 31.53 1 48-60 2 17-50 2 34.45 31.66 17.50 Elbow Pully Bent 18:31 71.30 2 hereof (| Se 30 | 3 | 41.30 | 1 Æ. 006 48.00 41.36 3.871 40.07 47 - 52 41:07 42 - 21 45.11 CTLOMBLELEDOS 4040 41.50 46.10 1 Deta ₩. knee fully Bent 1 134-20 1 414-00 1 1 004 54.65 4401 53.43 143.40 53.10 63.40 1134.07 145.24 133.00 46 .10 61:04 13:54 13:53 Atille to Mriet (Teoffre) 44.38 21.68 146.26 54.13 40-779 | 64-628 | 130-379 | 627-02 46. 42 1 46.50 44-13 72:30 148-46 54-6 24:00 1 72-40 2 148-00 3 45-10 125.23 **13.8** 134:50 234 tagion allian 1.9.51 14.10 71.17 3 21.50 3 8 COLATORS to Chotop 3500 2 45 72 45.00 ! 5.045 H 36-80 43.55 36-40 7 35-88 36.37 33.63 44.30 8.9 COLATORY SO METEL 25.40 65.50 36:30 14.60 17.84 21.00 21.33 21:38 20.30 n.137 9.213 M-10 14-40 16.02 1. 112 M-50 2 13:53 14.97 21.20 2.5 COLATORS to WEITS 2.451 52-20 1 118-30 1 18-30 1 119-40 1 BR-40 2 152-72 109-77 | \$4-20 110-50 84-70 154.75 115.02 19.07 151-60 121-40 23-70 182.00 121.52 24.33 44-57 113-20 122-10 95-14 1 8.2 35.00 1 157- 275 115-286 129-236 2.747 \$2.53 41:51 44.03 151.04 121.07 93.41 Croscop Height S 30 M.M 2.213 2.915 119:20 । जिस्ता । किसा । 20-20 1 100-5012 111:07 taging tains Cui I Cu 1 11 25 13.41 154-11 234 233 153-02 153-40 DELATORS HOTERS 44.10 154.80 36.90 157.57 37.34 15:07 40:31 173-19 44-31 156-24 36-21 165 -004 40 941 4.217 1.297 4.115 155.60 35.57 171.20 1 45.00 45-11 90-14 172.50 56.40 1 52:53 174:17 196.20 2 [43-40] 1 174-70 2 74.BD 100-IL 171-10 1 1 4.551 1 552 1 1350 35.50 Martinel frost-mev 1 (3) 27 (1 (2) 1 (3) 3 (3) 3 (1 (2) 3 (3) 3 (3) 4 (3) 1 (3) 3 (3) 4 (3) 1 दिन 48 -43 71.60 90.94 49.24 93.27 50.84 12:30 56:509 24.60 1 02-02-1 02-16 49.71 11:13 61.40 5.514 2.12 13.50 4 4 98.60 104:03 15:501 2 - 148 124:13 104-401 31-20 2 71-00 1 90 to 2 104.30 9 90:10 91.52 15.731 91.10 135.20 DUTE TOOLSTN 14.31 12.57 11.44 12-00 2 12.51 11:10 4 . 153 13.65 15 20 3 Jun 20 2 18:30 6 19:30 Maint Circumfere 124.77 38.78 10.25 181.12 91.37 98.38 \$4.50 | 151.05 | 98. 62 | 181.01 M.DE 18-4 7 31-404 91.20 37.55 95.72 20.12 CPOSE CILCUMIC .10 5-193 2-033 181.00 111.05 183.30 157.52 111-111 1.103 0.03204 7:12 13.13 1021 1 6.9 रक्षप्र M 42 15.K 13.24 24:00 1500 13.516 1.757 13.63 3% rdatok Coefficient of Variation & In of Surver Babbects E - 4 Beargreest - 1 President - ? Besureset B + 2 Begrurment A - 1 Secures 18 . 4 Heartresent Oth Persentile 25th Percentile 7th Percentile Pita Personatale 214 Persentile let Percentile nd Percentile ird Percentile ith Percentille . 3 Bearu

servey subjects having that particular . Besturaments in continetrus) figure given in the separate column against Him, Him + 1 etc., Herr, Herr - 1 etc., indicates the master of

Table 12

SIZING FOR AIRCREW COVERALL STATISTICAL DATA

SEATOR CONTROL MEASUREMENTS 164

CHEST CIRCUM MANAGE

MANUEL OF SIZES MEASUREDCET RANCES

TOBLEON

œ

GHAT CHOMBERGE 39.00 m 106.99

33.69 35.56 CIrcumierence 35.41 35.71 3.660 2.799 35.60 Hee J-Instep 8 34.00 38 - 42 Elbow Fully Bent 45.10 2 42.00 2 49.47 48.20 ctrommierence 40.4 49.41 37.80 1 41.40 4950 knee fully bent 1 144.20 1 53.80 1 49.40 OL 84-40 1 49-10 30.00 41 24 45.18 42.28 45.20 / 21 44 44.44 72.14 HE 67 51.84 53.83 54 00 1 44.39 Axilla to Wrist (Vertical) 45.17 54.41 4.339 8 03.14 14.30 1 35.30 1 63.90 1 131.00 1 110 00 1 199 50 1 14 80 1 36 40 1 65 20 2 139 40 2 \$5.23 J.M.18 188 63.87 132.69 133 83 68.68 133.13 135.07 14.04 115-370 82-204 18-715 40-936 68-7 99 139-22 2.657 44.02 14 ·2 1.909 exille Holent 133.40 15.14 65.63 72.46 12.71 1 22 50 1 45 50 1 72 50 2 COLATCEJ to CZOtop 35 - 24 37 . 04 37.56 40.75 45.94 36 :34 25.70 1 22.90 1 47.70 1 45.16 45.81 36.00 36 30 45.40 1 46.50 18.71 22.61 151-85 109-55 83 58 14-17 14.11 15:34 15.87 21.96 15-402 617.1 COLATORS to WATES 3 83.76 N-30 2 07.70 SH-TD 2 38.44 152.86 109.97 84.41 111-20 85-25 66-12 176-26 45-21 152 16 122-27 | 94-13 123-72 SA-71 72.53 | TTC-5 | 183-5 84 . 67 22.91 151-95 120-80 93-61 7 Crotob Height 28.50 54.30 1 169.00 1 31.00 1 153.00 2 110.20 1 123-41 980 110:36 116.14 1 11240 1 17340 1 saint Boight 15.25 3 125.50 1 143.50 1 173.70 38.96 154.24 22.22 42 · 16 157 · 62 162.97 163.51 152.33 68-00 1 1150-00 1 145-80 2 114-00 1 157-937 152:00 1 38:50 1 |52:50 Delator Height 38.00 2 54-20 1 129 50 1 31-10 1 38 . 65 2 45:30 2 103-53R 60-077 1169-311 42-028 ו סרידע 37.98 175-84 44-58 45 - 31 67-33 (11-34 45-61 1-693 2-216 4-028 1 20 1 45 40 66-20 1 1-14-50 1 PG-34 L. 621 160.68 66.31 176.84 157 92 162.45 183.29 3 - 871 (D. SO D. CO Vertical Trunk 54:46 54 - 98 16.65 53.93 55 . 29 200 65:32 53.00 161-09 199- 00 80-04 98-10 1183-93 1101-95 | 88-33 | 103-28 | 108-57 97-91 110-41 108-94 111 00 11 109-61 98 58 97 . 24 3.052 98 40 1 78. 89 95.90 3.163 110:30 81.80 93.50 2 118.50 4 1.06.40 3 28.00 3 **45.65** 1 | 121-20| 3 | 19-30| 1 1 01.03 5 02.00 I TC-96 ZE-431 21.191.31 184-236 102-172 | 88-393 2-112 4-301 4:33 198.00 95 col 3 list rol 2 list rat 1 35 30 106-20 3 97-70 74-30 1 http:30 2 29-30 2 73:40 JIN. 00 199 .00 181 :05 | 29 :04 104-71 4 01.00 99.00 2.122 101.70 123 8 401 92 . 84 |188 . 23 23 40 | 18 20 2 2101-101 111.00 93 45 I'M 62 12.66 PLEFATA 24.33 15.24 18:41 94.78 108:07 5.746 32 sastou 75.00 Coefficient of Variation \$ No of Burney Subjects ing + 3 Measurement - Messuresant + 2 Hegeurgeent - 2 Meadurement - 4 Headuresent 75th feromatale 7th Percentile 38th Percentile 9th Percentile lst Percentile 50th Percentile 2nd Percentile rd Percentile th Percentile

member of marvey subjects having that particular measure i mecanicamento in continetrus) figure given in the section $m_{\rm eff} = 1$ etc, indicates the

133

193

Table 13

STATISTICAL DATA FOR AIRCREW COVERALL SIZING

COTHOL MANNETS 1st ... CHRY CINCIPPEDES

_													*****	2	×););		
	II ta _d ios	ewind	cheef Ciromsference	Sometermonic false	Buttook Circumference	eomeratamonto datan	Verticel Fruit Circumference	Atherni Laturmain	frigital Lactvice	tazieli fezieli	affixa of factvice	fairles to Maint	dotom of Lactures	rdaten attiza	teins of affixa (factivey)	Knee Fully Bent Ciromnference	Elbow Fully Bent Circumference	Henl-Instep
- G	1 00.14	181-0	2 doug	1 02-6	1 04:90	56.10	13.65	E	1 20.00	24.4.6	1	1	1		-	Ŀ	Ŀ	
Ein + 1 Begryrment	1 05 14	la.n.	100.30	1 06-65	1	11 1 05 15	13.30 1 de ca	E	Ę	ŀ	2	2000	1		1		1	
Ela + 2 Reservansas	- 65 1	10:01	18:20 1 St. 101 1 St. 20.00		S 1 80 501	9	3.44	٤	3.511	Ŀ	-		Т	₹.	2 3	9 /	7	
Hin + 3 Sussificant	1 25 4	18:30	107-cg 2 50-cg	1	11	N) 01.6	-	-	- 49	7	5	_		٦.	1		<u> </u>	
Him . 4 Negativeent	1 35 1	58:61	19-92 107-102 30-30	-	104-50	10 - 07	-	-	-	-	1	Ŀ	┨.		┰-	•		
1st Percentile	24.00	181.00	181-00 IDT: 00	29.20	101	58 - 10	8	4	G	_		1	4	7	1		3	
2nd Percentile	14.00	111.00	-	_	2	┢	+	Т	30.35	1	+-	1	┿	_	وأو	9	Ş	20
and Percentile	94:04	10.131	101.00		8	9		Т		13	+-	+	┿		1	9	8	9
5th Percentile	94-40	10.01	# 10 121 03 101 00 49.76	3.76	3	1	+-	1,	-		+-	1	+	_	2	4	01-27	32.52
50th Percentile	94.00	163.00	163.00 108.90	98.90	۶	f	Ŀ	т	24 - 25	31 - 52 - 35 - 11	٠,		7	-	9	3	7	12.75
95th Percentile	100.10	198.14		_	5	+		7-	-		+-	7	27.20	-	7	9	-	7
97th Percentale	100.46	138.64	113.58	102.24	12.51	†=	1.	:	1	1	+	+	\$ 7	P		3	╁	41 - 42
90th Percentile	102.18	181.78		102.65		 	Ŀ	:			+.	+	E .	-	- 1	S I	×	17.17
22th Persentile	104:34	_	┢╼	103 - 20		8	19	•	27 27		1	1		\$	#		5	34.61
Mos - 4 Measurement	98:50	10-01	1 08:211		١.	_	Ė	Ŀ				7	a T	1			27	4
Mex - 3 Measurement	23.00 1	177-40 1	112.50	Ш	Ę	~	-	Ŀ	Ŀ	Ŀ		_		\pm	7	T	4	7
Max - ? Mesuresent	10000	T 00 2	13-61	Ŀ	E	Ŀ	-	ŀ	Ŀ	ŀ				•	-	-	-	1 01:11
No 1 Begarrasest	100-001		•		E	-	1	₹-		Ŀ					7	-[2	1 01:55
Plaz	16.401		1 00.71		Ę	-	Ŀ	Τ.	۹.	┨.			88.77	-[-	- 8	-[1 25 1
To as	23.463		109.633	1	1		-	Τ,		7	-	8	1 88 27		5 02.53		1 02 1	7 03-16
Я	36.9		•	П	1	+		Ι.	헸	7	5E 81 C	7	4	_	7	41:375	21.45	31:153
Confficient of Variation \$	\$.0.2			3			+	+-	┿	4	-	7	-	豆	7	22	1:692	הרנים
No of Server Subsects	ž	,	1			;	7.4.7	+	†	र त्र	7	7	316	널	5.00.3	귉	4 125	2.142
						4	4	2	7	4	36	98	4	4	1	9	36	36
(All presentation to produce	1																	

(all measurements in estimates) The figure given in the separate column against Him, Him + 1 ato, Hex - 1 etc, indicates the number of sarvey subjects baving that particular measurement.

PERCENTAGE REJECTION OF SUBJECTS FROM SUB-GROUP SIZE 5 BY THE PROGRESSIVE APPLICATION OF HIMMUM TO 95TH PERCENTILE LIMITS TO SUBSIDIARY MEASUREMENTS

	Number of subjects left	% rejection
Waist circumference	481	5.3
Buttock circumference	460	9.5
Thigh circumference	443	12.8
Knee fully bent circumference	423	16.7
Vertical trunk circumference	409	19.5
Cervical height	386	24.0
Waist height	371	27.0
Crotch height	349	31.3
Cervical to axilla	334	34.3
Cervical to waist	319	37.2
Cervical to crotch	309	39.2
Bizcromial breadth	297	41.5

Population sub-group size 5 on Fig 1 sizing controls:

Chest circumference: 91 cm to 98.99 cm

Stature: 173 cm to 180.99 cm

Number of subjects in sub-group = 508

REFERENCES

No.	Author	Title, etc
1	C.B. Bolton, et al	An anthropometric survey of 2000 Royal Air Force aircrew, 1970/71. RAE Technical Report 73083 (1973) Also published as RAF IAM Report 531
2	R.E. Simpson	Specimen size rolls for aircrew headgear based on an analysis of the head measurements of 2000 Royal Air Force aircrew. RAE Technical Report 74072 (1974)
3	R.E. Simpson C.B. Bolton	An anthropometric survey of 200 RAF and RN aircrew and the application of the data to garment size rolls. RAE Technical Report 67125 (1967)
4	G.M. Morant J.C. Gilson	A report of a survey of body and clothing measurements of Royal Air Force Personnel. RAF Institute of Aviation Medicine, FPRC 633a (1945)
5	M. Alexander J.T. McConville	Revised height/weight sizing programmes for men's protective flight garments. AMRL-TR-79-28 (1979)
6	R.E. Simpson E. Violet Hartley	Scatter diagrams based on the anthropometric survey of 2000 Royal Air Force aircrew (1970/1971) RAE Technical Report 81017 (1981)



ははないないのである。




Fig 1




Fig 2

■ こうとうことには、またのはいのでは、またのであるというできます。 Company of the company of th




Fig 3

REPORT DOCUMENTATION PAGE

Overall security classification of this page

UNL	IMI	TED

As far as possible this page should contain only unclassified information. If it is necessary to enter classified information, the box above must be marked to indicate the classification, e.g. Restricted, Confidential or Secret.

1. DRIC Reference (to be added by DRIC)	2. Orig	inator's Reference	3. Agency Reference N/A	4. Report Se	curity Classification/Marking UNLIMITED
5. DRIC Code for Originato	r	6. Originator (Corpor	ate Author) Name	and Location	
7673000W		Royal Aircraft	Establishmer	nt, Farnbor	rough, Hants, UK
5a. Sponsoring Agency's Co	de	6a. Sponsoring Agenc	y (Contract Author	ority) Name and	d Location
N/A			N	/A	
7. Title The applicat	ion of	anthropometric	survey data	a to aircr	ew clothing sizing.
7a. (For Translations) Title	in Foreig	n Language			
7b. (For Conference Papers) 8. Author 1. Surname, Initials			9b. Authors 3	<i>A</i>	10. Date , Pages , Refs.
Aplin, Judy, E.	7a. Au	mor z	Ju. Addicis 3	, 	May 28 6
11. Contract Number	12. Per	iod	13. Project		14. Other Reference Nos.
N/A		N/A			FS(F) 218
15. Distribution statement(a) Controlled by -					
(b) Special limitations	(if any)				
16. Descriptors (Keywords)		(Descriptors marked	• are selected fro	m TEST)	
Applied anthropometr	y. C1	othing sizing.			
17. Abstract					

Since completion of the 1970/71 anthropometric survey of 2000 Royal Air Force sircrew, the Protective Equipment Section of Flight Systems (Farnborough) Department has made full use of the acquired data to support its advisory role on aircrew protective clothing sizing. Computer analysis of the data has been undertaken to provide sizing information relevant to a variety of garment types and numerically different size-rolls.

This Report outlines the general approach adopted for the sizing of body-cover garments and headgear. The influences of the choice of control dimensions and subsidiary measurement range limitation upon the size-rolls for aircrew one-piece coverall type garments are discussed.